<b>ES</b>	RF

Experiment title: Macromolecular Crystallography at	Experiment	
South-East Andalusia	number:	
	MX-2254	

Beamline:	Date of experiment:	Date of report:
ID23-2	From: 19 <sup>th</sup> November 2022	06/02/2023
Shifts: 3	Local contact(s): Christoph Mueller- Dieckmann	Received at ESRF:

Names and affiliations of applicants (\* indicates experimentalists): Jose A. GAVIRA-GALLARDO<sup>1</sup>, Ana CAMARA-ARTIGAS\*<sup>2</sup>, Sergio MARTINEZ-RODRIGUEZ<sup>3</sup>, Marina PLAZA-GARRIDO\*<sup>2</sup>, Mari Carmen SALINAS-GARCIA\*<sup>2</sup>, Carmen LOPEZ<sup>1</sup>

- 1. Laboratorio de Estudios Cristalográficos, IACT, CSIC-UGR, Spain.
- 2. Dpto. Química y Física, University of Almeria, Spain.
- 3. Dpto. de Bioquímica y Biología Molecular III e Inmunología, University of Granada, Spain.

## Crystals from Almeria (Table 1):

**i) Mutants of PL**<sup>pro</sup> **from SARS-CoV-2.** We have cloned different mutants of PL<sup>pro</sup> (Papain-Like protease) from SARS-CoV-2 to improve the crystallization of this protein. We have measured three different mutants. Also, we have tried to enhance the diffraction of these crystals by adding additives such as low molecular weight polyethylene glycol, glycerol, oil and dyes as bromophenol blue and flavine. We have working with dehydration methods, as well.

<u>Future perspectives</u>: We are working to improve the diffraction of the crystals by adding other cryo-protectants.

Table 1. Data collected by the Almeria team.				
PROTEIN	SAMPLES/DIFFRAC.	CONDITIONS	DIFFRACTION (Å)	SPACE GROUP/CELL
pL <sup>pro</sup>	89/40	1.4 M Sodium Malonate pH6.0 3.4 M KCl, 5% PEG200, 0.1 M Hepes pH7.0 1.2 M K <sub>2</sub> HPO <sub>4</sub> , 0.8 M NaH <sub>2</sub> PO <sub>4</sub> , 0.1 M Sodium Acetate pH4.5 4.5 M NaCl, 0.1M Hepes pH7.5	3.6-1.9	P3121/ 82 82 134 90 90 90 14122/142 142 142 90 90 90 P6522/115 115 252 90 90 120