



Tango2Epics Gateway

Tango device server
(author Vid Juvan)

Presentation by
Tadej Humar



- Integrate EPICS devices in TANGO framework
 - Control a set of EPICS variables
 - EPICS as a hardware layer of a Tango device
 - **No development needed**
 - Configuration only

- Expose EPICS PVs of a device with TANGO device
 - As attributes (map 1-1)
 - As commands (change the value of one or more PVs)
 - As states (state reflects the value of one or more PVs)

- Limitations
 - Commands: On, Off, Reset
 - No support yet in Tango for dynamic commands

EPICS


Channel Access Server: Process Variables

xxx: opened

xxx: open

xxx: close

xxx: current



TANGO

Device

State:

Commands:

On

Off

Reset

Attributes:

Operation

EPICS

Channel Access Server: Process Variables

xxx: opened

xxx: open

xxx: close

xxx: current

Subscribe on change

== X

== Y

State to:
STATE1

State to:
STATE2

```
xxx:opened*Scalar*Int*READ_ONLY*  
STATE*X:STATE1.Y:STATE2
```

```
-----  
xxx:opened*Scalar*Int*READ_ONLY*  
STATE*0:CLOSED.1:OPENED
```

TANGO

Device

State:

Commands:

On


Off

Reset


Attributes:

Operation


EPICS



```
xxx:open*Scalar*Short*  
WRITE_ONLY*COMMAND*VAL1:ON  
  
...  
xxx:current*Scalar*Int*  
WRITE_ONLY*COMMAND*  
VAL3:OFF.VAL4:RESET
```



TANGO



Operation

EPICS

Channel Access Server: Process Variables

xxx: opened

xxx: open

xxx: close

xxx: current

```
xxx:current*Scalar*Double*READ_WRITE*  
ATTRIBUTE*Current
```

Read_only /
write_only /
read_write

TANGO

Device

State:

Commands:


On

Off

Reset

Attributes:

Current



Device integration

TANGO DATABASE

- Tango2Epics
 - INSTANCE
 - Tango2Epics
- Family/Domain/Member
 - Properties
 - Variables
 - ScalarAccessTimeout
 - ArrayAccessTimeout
 - SubscriptionCycle
- Family/Domain/Member
 - Properties
 - Variables
 - ScalarAccessTimeout
 - ArrayAccessTimeout
 - SubscriptionCycle

CONFIGURE DATABASE

- CSV File + dedicated import script
- Direct manual database population

Tango2Epics devices


Device instance 1

Device instance 2

Device instance 3

...

- Read properties
- Dynamically create attributes
- Link state, commands, attributes



Future additions

- Alarms
- Events

Questions

